

AUTHOR INDEX

- ABRAHAM, A.A., see GOTER ROBINSON, C.J.
 ABRESCH, R.J., see VAUGHAN, J.H.
 AL SAATI, T., LAURENT, G., CAVERIVIERE, P., RIGAL, F. & DELSOL, G. Reactivity of Leu 1 and T101 monoclonal antibodies with B cell lymphomas (correlations with other immunological markers), 631
 ALLINQUANT, B., MALFOY, B., SCHULLER, E. & LENG, M. Presence of Z-DNA specific antibodies in Crohn's disease, polyradiculonephritis and amyotrophic lateral sclerosis, 29
 ANTONACI, S., see JIRILLO, E.
 ARAKAWA, M., see SUZUKI, Y.
 ASHERSON, G.L., see LOMBARDI, G.
 ASHERSON, G.L., see BRENNER, M.K.
 ASHTEKAR, M.D., see SAMUEL, A.M.
 ASKONAS, B.A., see FIERER, J.
 AVANZINI, A., see PLEBANI, A.
 AVERY, J., see LEHNER, T.
 BABBAGE, J., SIGFUSSON, A. & SOUAMI, R.L. Antibody-dependent cell-mediated cytotoxicity to *Varicella zoster*, 217
 BACON, T.H., see EDWARDS, A.J.
 BALAZS, T., see GOTER ROBINSON, C.J.
 BALTZ, M.L., see ROWE, I.F.
 BARTHOLOMAEUS, W.N., REED, W.D. & JOSKE, R.A. Autoantibody to liver-specific lipoprotein in the mouse: regulation by naturally occurring autoantigen specific suppressor cells, 307
 BASCHIERI, L., see MARIOTTI, S.
 BAUTZ, F.A., see GULDNER, H.H.
 BECHI, R., see MARIOTTI, S.
 BEGENT, R.H.J., see CHESTER, K.A.
 BEGIN, R., see ROLA-PLESZCZYNSKI, M.
 BENVENISTE, P., WENZEL, B.E., KHALIL, A., ROW, V.V. & VOLPE, R. Spontaneous secretion of thyroid autoantibodies by cultured peripheral blood lymphocytes from patients with Hashimoto's thyroiditis detected by micro-ELISA techniques, 273
 BERG, P.A., see KLEIN, R.
 BERG, P.A., see SCHULTHEISS, H.-P.
 BERGUI, L., see GOBBI, M.
 BHUTANI, L.K., see NATH, I.
 BILLIAU, A., see VERVLIEET, G.
 BJORKMAN, A., see TROYE-BLOMBERG, M.
 BLUMBERG, B.S., see VIERUCCI, A.
 BOERRIGTER, G.H. & SCHEPER, R.J. Local administration of the cytostatic drug 4-hydroperoxy-cyclophosphamide (4-HPCY) facilitates cell-mediated immune reactions, 161
 BONOMO, L., see JIRILLO, E.
 BOONPUCKNAVIG, S. & EKAPANYAKUL, G. Autoantibodies in sera of Thai patients with *Plasmodium falciparum* infection, 77
 BORASCHI, D., see SESTINI, P.
 BORDA, E., see STERIN-BORDA, L.
 BORGATTI, L., see VIERUCCI, A.
 BRANDTZAEG, P. & KORSRUD, F.R. Significance of different J chain profiles in human tissues: generation of IgA and IgM with binding site for secretory component is related to the J chain expressing capacity of the total local immunocyte population, including IgG and IgD producing cells, and depends on the clinical state of the tissue, 709
 BRENNER, M.K., REITTE, J.G.E., CHADDA, H.R., POLLOCK, A. & ASHERSON, G.L. Thymoma and hypogammaglobulinaemia with and without T suppressor cells, 619
 BRINES, R., see LEHNER, T.
 BUHLER, F.R., see LANDMANN, R.M.A.
 BUTTERWORTH, A.E., see VEITH, M.
 CALDER, L.R., see WILLCOX, H.N.A.
 CALIGARIS-CAPPIO, F., see GOBBI, M.
 CALLARD, R.E., EWING, T.M. & FOX, R.M. Relative sensitivity of human T cell subsets to deoxyadenosine toxicity, 136
 CAMPANA, D., see GOBBI, M.
 CAMPBELL, L.V., CHARLESWORTH, J.A., PASTERFIELD, G.V., JENKINS, A. & PUSSELL, B.A. Does insulin administration contribute to immune complex formation in diabetes?, 255
 CANDY, D.C.A., see THOMPSON, R.A.
 CARSON, D.A., see VAUGHAN, J.H.
 CARTON, H., see VERVLIEET, G.
 CAVERIVIERE, P., see AL SAATI, T.
 CAVO, M., see GOBBI, M.
 CHADDA, H.R., see BRENNER, M.K.
 CHARLESWORTH, J.A., see CAMPBELL, L.V.
 CHARPENTIER, B., FRANCO, D., PACI, L., CHARRA, M., MARTIN, B., VUITTON, D. & FRIES, D. Deficient natural killer cell activity in alcoholic cirrhosis, 107
 CHARRA, M., see CHARPENTIER, B.
 CHESTER, K.A. & BEGENT, R.H.J. Circulating immune complexes (CIC), Carcinoembryonic antigen (CEA) and CIC containing CEA as markers for colorectal cancer, 685
 CHRETIEN, P.B., see TOMAZIC, V.
 CHRISTIANSEN, S.E., see ROMER, F.K.
 CLERICI, N., REBOIRAS, S., FIERRO, C. & LEYVA-COBIAN, F. Expressions of Ia like (HLA-DR) antigens on human alveolar macrophages, 388
 COHEN, B.E., see PASSWELL, J.H.
 COLE, P.J., see STANLEY, P.J.
 COLIZZI, V., see LOMBARDI, G.
 COLWELL, D.E., see JIRILLO, E.
 CONNELLY, C.A., see HUGHES, H.P.A.
 CORBO, G., see STANLEY, P.J.
 CORNEO, M., see DI PADOVA, F.
 CREMASCHI, G., see STERIN-BORDA, L.
 CURD, J.G., see VAUGHAN, J.H.
 CURRAN, J.J., see TARTOF, D.
 CZERKINSKY, C., see TARKOWSKI, A.
 DAHA, M.R., see KLUIN-NELEMANS, H.C.
 DAUPHINEE, M.J. & TALAL, N. Increased Ia expression, T lymphocyte subset abnormalities and autoimmunity in murine strains bearing the *Ipr* gene, 145
 DAVIDSOHN, J., see PASSWELL, J.H.
 DE JONGE, S., see KOLK, A.H.J.
 DELSOL, G., see AL SAATI, T.

- DE MARTINO, M., see VIERUCCI, A.
- DI PADOVA, F., GRATWOHL, A., CORNEO, M. & SPECK, B. Functional and morphological suppressor T cell deficit in acute GVHD, 611
- DOI, T., MAYUMI, M., KANATSU, K., SUEHIRO, G. & HAMASHIMA, Y. Distribution of IgG subclasses in membranous nephropathy, 57
- DUSE, M., see PLEBANI, A.
- EDWARDS, A.J., BACON, T.H., ELMS, C.A., VERADI, R., FELDER, M. & KNIGHT, S.C. Changes in the populations of lymphoid cells in human peripheral blood following physical exercise, 420
- EUGELTE, T.A., see KOLK, A.H.J.
- EKAPANYAKULD, G., see BOONPUCKNAVIG, S.
- ELMS, C.A., see EDWARDS, A.J.
- ENDO, M., see TOMINO, Y.
- ENDO, M., see NOMOTO, Y.
- ERNE, P., see LANDMANN, R.M.A.
- EWING, T.M., see CALLARD, R.E.
- FAYRE, M., see MICOVIN, C.
- FAY, M., see GOUGEROT-POCIDALO, M.-A.
- FELDER, M., see EDWARDS, A.J.
- FIERER, J., SALMON, J.A. & ASKONAS, B.A. African trypanosomiasis alters prostaglandin production by murine peritoneal macrophages, 548
- FIERRO, S., see CLERICI, N.
- FORSUM, U., see JANSSON, R.
- FOX, R.I., see VAUGHAN, J.H.
- FOX, R.M., see CALLARD, R.E.
- FRANCO, D., see CHARPENTIER, B.
- FRIES, D., see CHARPENTIER, B.
- FUKUI, K., KAKUMI, S., MURAKAMI, H., KURIKI, J., YOSHIOKA, K. & SAKAMOTO, N. Increased peripheral blood Ia positive T cells and their effect on autologous mixed lymphocyte reaction in chronic liver disease, 90
- FUTTERER, A., see ZIEGLER-HEITBROCK, H.W.L.
- GANATRA, R.D., see SAMUEL, A.M.
- GARDLUND, B., see NORBERG, R.
- GEIGER, B., see PASSWELL, J.H.
- GENARO, A., see STERIN-BORDA, L.
- GIACOMELLI, M., see MARIOTTI, S.
- GILLIS, S., see GUPTA, S.
- GIULIANI, D., see PURAM, V.
- GOBBI, M., CALIGARIS-CAPPIO, F., CAMPANA, D., TAZZARI, P.L., BERGULI, L., CAVO, M. & TURA, S. Functional behaviour and immunological phenotype of circulating B lymphocytes in multiple myeloma. Studies with pokeweed mitogen, 625
- GOLDBERG, M., see GUPTA, S.
- GOODMAN, S.M., see NOURI, A.M.E.
- GOSS-SAMPSON, M., see SCOTT, M.T.
- GOTER ROBINSON, C.J., ABRAHAM, A.A. & BALAZS, T. Induction of anti-nuclear antibodies by mercuric chloride in mice, 300
- GOUGEROT-POCIDALO, M.-A., FAY, M. & POCIDALO, J.J. *In vivo* normobaric oxygen exposure depresses spleen cell *in vitro* Con A response. Effects of 2-mercaptoethanol and peritoneal cells, 428
- GOUIN, S., see ROLA-PLESZCZYNSKI, M.
- GRATWOHL, A., see DI PADOVA, F.
- GULDNER, H.H., LAKOMEK, H.-J. & BAUTZ, F.A. Human anti-centromere sera recognise a 19.5 kD non-histone chromosomal protein from HeLa cells, 13
- GUPTA, R.C., SEIBOLD, J.R., KRISHNAN, M.R. & STEIGERWALD, J.C. Precipitating autoantibodies to mitochondrial proteins in progressive systemic sclerosis, 68
- GUPTA, S., GILLIS, S., THORNTON, M. & GOLDBERG, M. Autologous mixed lymphocyte reaction in man. XIV. Deficiency of the autologous mixed lymphocyte reaction in acquired immune deficiency syndrome (AIDS) and AIDS related complex (ARC). *In vitro* effect of purified interleukin-1 and interleukin-2, 395
- HAMASHIMA, Y., see DOI, T.
- HAMILTON, A.O., see NAAMA, J.K.
- HARI KUMAR, M.K., KNIGHT, R.A. & SNAITH, M.L. Specific allogenic help by T lymphocytes from patients with systemic lupus erythematosus, 21
- HEIDT, P.J., see RADL, J.
- HERLIN, T., see ROMER, F.K.
- HIROSE, S., SEKIGAWA, I., OZAKI, S., SATO, H. & SHIRAI, T. Genetic regulation of hypergamma-globulinaemia and the correlation to autoimmune traits in (NZB x NZW)F₁ hybrid, 694
- HO, M.L., see KOLK, A.H.J.
- HUDSON, L., see HUGHES, H.P.A.
- HUGHES, H.P.A., CONNELLY, C.A., STRANGWAYS, J.E.M. & HUDSON, L. Antigen specific lymphocyte transformation induced by secreted antigens from *Toxoplasma gondii*, 539
- HUSSIAN, R., see NUTMAN, T.B.
- HYODO, S., see KASHIWA, H.
- ICHIKAWA, Y., see MORIYA, O.
- ILNICKI, C., see REY, A.
- ISAACS, D., WEBSTER, A.D.B. & VALMAN, H.B. Immunoglobulin levels and function in pre-school children with recurrent respiratory infections, 335
- ISHII, Y., TAKAMI, T., YUASA, H., TAKEI, T. & KIKUCHI, K. Two distinct antigen systems in human B lymphocytes: identification of cell surface and intracellular antigens using monoclonal antibodies, 183
- ITAYA, T., see NAWATA, Y.
- IWAMOTO, I., see NAWATA, Y.
- JACOB, L. & TRON, F. Induction of anti-DNA autoantibodies in (NZB x NZW)F₁ mice: possible role for specific immune suppression, 293
- JANSSON, R., KARLSSON, A. & FORSUM, U. Intrathymic HLA-DR expression and T lymphocyte phenotypes in Graves' thyrotoxicosis, Hashimoto's thyroiditis and nodular colloid goitre, 264
- JAYARAMAN, T., see NATH, I.
- JENKINS, A., see CAMPBELL, L.V.
- JIRILLO, E., ANTONACI, S., MICHALEK, S.M., COLLWELL, D.E., MCGHEE, J.R. & BONOMO, L. Relationship between immune system and Gram negative bacteria. I. Spontaneous binding of smooth and rough *Salmonella* to human peripheral blood lymphocytes, 167

- JONES, T., see LEHNER, T.
 JOSKE, R.A., see BARTHOLOMAEUS, W.N.
 JOURDAN, M., see REY, A.
- KAKUMU, S., see FUKUI, K.
 KANATSU, K., see DOI, T.
 KARAKAWA, T., see KASHIWA, H.
 KARLSSON, A., see JANSSEN, R.
 KASHIWA, H., HYODO, S., KISHI, T., KARAKAWA, T., KITTAKA, E., SUZAWA, T., SAKANO, T. & USUI, T. The mitogenic effect of the lymphocytosis promoting factor from *Bordetella pertussis* on human T and non-T cells, 436
 KHALIL, A., see BENVENISTE, P.
 KIKUCHI, K., see ISHII, Y.
 KISHI, T., see KASHIWA, H.
 KITTAKA, E., see KASHIWA, H.
 KLATSER, P.R., see KOLK, A.H.J.
 KLEIN, B., see REY, A.
 KLEIN, R., MAISCH, B., KOCHSIEK, K. & BERG, P.A. Demonstration of organ specific antibodies against heart mitochondria (anti-7) in sera from patients with some forms of heart diseases, 283
 KLINGENBERG, M., see SCHULTHEISS, H.-P.
 KLUIN-NELEMANS, H.C., VAN VELZEN-BLAD, H., VAN HELDEN, H.P.T. & DAHA, M.R. Functional deficiency of complement factor D in a monozygous twin, 724
 KNAAN-SHANZER, S., see RADL, J.
 KNIGHT, R.A., see HARI KUMAR, M.K.
 KNIGHT, S.C., see EDWARDS, A.J.
 KOCHSIEK, K., see KLEIN, R.
 KOIKE, T., see NAWATA, Y.
 KOLK, A.H.J., HO, M.L., KLATSER, P.R., EGGELTE, T.A., KUIJPER, S., DE JONGE, S. & VAN LEEUWEN, J. Production and characterization of monoclonal antibodies to *Mycobacterium tuberculosis*, *M. bovis* (BCG) and *M. leprae*, 511
 KORSRUD, F.R., see BRANDTZAEG, P.
 KRAFT, D., see ZIEGLER-HEITBROCK, H.W.L.
 KRAGBALLE, K., see ROMER, F.K.
 KRIPPNER, H., SPRINGER, B., MERLE, S. & PIRLET, K. Antibodies to histones of the IgG and IgM class in systemic lupus erythematosus, 49
 KRISHNAN, M.R., see GUPTA, R.C.
 KROHN, K.J.E., see UIBO, R.M.
 KUIJPER, S., see KOLK, A.H.J.
 KURIKI, J., see FUKUI, K.
 KUSHILEVSKY, A., see MANORI, I.
- LAKOMEK, H.-J., see GULDNER, H.H.
 LANDMANN, R.M.A., MULLER, F.B., PERINI, CH., WESP, M., ERNE, P. & BUHLER, F.R. Changes of immunoregulatory cells induced by psychological and physical stress: relationship to plasma catecholamines, 127
 LAURENT, G., see AL SAATI, T.
 LEHNER, T., BRINES, R., JONES, T. & AVERY, J. Detection of cross-reacting murine I-J like determinants on a human subset of T8⁺ antigen binding, presenting and contrasuppressor cells, 410
 LEIJH, P.C.J., VAN ZWET, T.L. & VAN FURTH, R. Effect of concanavalin A on intracellular killing of *Staphylococcus aureus* by human phagocytes, 557
 LENG, M., see ALLINQUANT, B.
- LENS, J.W., VAN DEN BERG, W.B., VAN DE PUTTE, L.B.A. & VAN DEN BERSSELAAR, L. Flare-up of antigen-induced arthritis in mice after challenge with oral antigen, 364
 LEROUX, D., see MICOIN, C.
 LEVANON, M., see PASSWELL, J.H.
 LEYVA-COBAN, F., see CLERICI, N.
 LIDMAN, K., see NORBERG, R.
 LIVINGSTON, C., see TARTOF, D.
 LOMBARDI, G., PICCOLELLA, E., VISMARA, D., COLIZZI, V. & ASHERSON, G.L. *Candida albicans* polysaccharide extract (MPPS) and PPD stimulate the production of interleukin-1 and lymphocyte proliferation, 581
 LONDON, W.T., see VIERUCCI, A.
- MADSEN, M., see ROMER, F.K.
 MAISCH, B., see KLEIN, R.
 MALFOY, B., see ALLINQUANT, B.
 MANORI, I., KUSHILEVSKY, A., SEGAL, S. & WEINSTEIN, Y. Radiosensitivity of isolated subsets of human lymphocytes (E⁺, OKT4⁺, OKT8⁺): protective role of monocytes and monokines, 453
 MARIOTTI, S., PISANI, S., RUSSOVA, A., BECHI, R., GIACOMELLI, M., PASSALEVA, A., MASSAI, G., BASCHIERI, L. & PINCHERA, A. A solid phase immunoradiometric assay for gastric parietal cell antibodies, 745
 MARTIN, B., see CHARPENTIER, B.
 MARUYAMA, T., see TSUGE, I.
 MASSA, M., see PLEBANI, A.
 MASSAI, G., see MARIOTTI, S.
 MATSUOKA, H., see TSUGE, I.
 MATYUS, L., see SURANYI, P.
 MAYUMI, M., see DOI, T.
 MCGHEE, J.R., see JIRILLO, E.
 MCNEISH, A.S., see THOMPSON, R.A.
 MERLE, S., see KRIPPNER, H.
 MEULEPAS, E., see VERVLIET, G.
 MICHAEL, S.M., see JIRILLO, E.
 MICOIN, C., SEIGNEURIN, J.M., RENVERSEZ, J.C., ROUSSEL, B., FAVRE, M. & LEROUX, D. Monoclonal IgM with anti-muscle tissue activity in a patient with Waldenstrom's macroglobulinaemia: secretion of identical immunoglobulin by the established lymphoid cell line, 677
 MIURA, M., see TOMINO, Y.
 MIURA, M., see NOMOTO, Y.
 MORIYA, O. & ICHIKAWA, Y. Loss of J chain during primary immune responses in chicks, 719
 MORSE, B.S., see PURAM, V.
 MULLER, F.B., see LANDMANN, R.M.A.
 MUNKER, R., see ZIEGLER-HEITBROCK, H.W.L.
 MURAKAMI, H., see FUKUI, K.
 MURDOCH, R.D. & PEPYS, J. Immunological responses to complex salts to platinum. II. Enhanced IgE antibody responses to ovalbumin with concurrent administration of platinum salts in the rat, 478
- NAAMA, J.K., HAMILTON, A.O., YEUNG-LAIWAH, A.C. & WHALEY, K. Prevention of immune precipitation by purified classical pathway complement components, 486
 NAMIKAWA, R., see TSUGE, I.

- NATH, I., SATHISH, M., JAYARAMAN, T., BHUTANI, L.K. & SHARMA, A.K. Evidence for the presence of *M. leprae* reactive T lymphocytes in patients with lepromatous leprosy, 522
- NATH, I., JAYARAMAN, J., SATHISH, M., BHUTANI, L.K. & SHARMA, A.K. Inhibition of interleukin-2 production by adherent cell factors from lepromatous leprosy patients, 531
- NAWATA, Y., KOIKE, T., YANAGISAWA, T., IWAMOTO, I., ITAYA, T., YOSHIDA, S. & TOMIOKA, H. Anti-IgE autoantibody in patients with bronchial asthma, 348
- NEWSOM-DAVIS, J., see WILLCOX, H.N.A.
- NICHOLAS, N.S., PANAYI, G.S. & NOURI, A.M.E. Human pregnancy serum inhibits interleukin-2 production, 587
- NILSSON, L.-A., see TARKOWSKI, A.
- NISHIDA, K., see TSUGE, I.
- NOMOTO, Y., see TOMINO, Y.
- NOMOTO, Y., MIURA, M., SUGA, T., ENDOH, M., TOMINO, Y. & SAKAI, H. Cold reacting antinuclear factor (ANF) in families of patients with IgA nephropathy, 63
- NORBERG, R., GARDLUND, B., THORSTENSSON, R. & LIDMAN, K. Further immunological studies of sera containing anti-mitochondrial antibodies, type M 5, 639
- NOTARANGELO, L.D., see PLEBANI, A.
- NOURI, A.M.E., PANAYI, G.S. & GOODMAN, S.M. Cytokines and the chronic inflammation of rheumatic disease. II. The presence of interleukin-2 in synovial fluids, 402
- NOURI, A.M.E., see NICHOLAS, N.S.
- NUTMAN, T.B., HUSSAIN, R. & OTTESEN, E.A. IgE production *in vitro* by peripheral blood mononuclear cells of patients with parasitic helminth infections, 174
- NYDEGGER, U.E. & SVEHAG, S.-E. Improved standardization in the quantitative estimation of soluble immune complexes making use of an international reference preparation. Results of a collaborative multicentre study, 502
- OHNISHI, H. Pepsin like enzyme in macrophages and its role in the immune system, 206
- OITE, T., see SUZUKI, Y.
- OLIVIER, S.L., see WILKINS, J.A.
- OTA, K., see TSUGE, I.
- OTTESEN, E.A., see NUTMAN, T.B.
- OZAKI, S., see HIROSE, S.
- PACI, L., see CHARPENTIER, B.
- PANAYI, G.S., see NOURI, A.M.E.
- PANAYI, G.S., see NICHOLAS, N.S.
- PASCUAL, J., see STERIN-BORDA, L.
- PASSALEVA, A., see MARIOTTI, S.
- PASSWELL, J.H., GEIGER, B., LEVANON, M., DAVIDSOHN, J., COHEN, B.E. & RAMOT, B. IgE induces secretion of prostaglandin E2 by human monocytes, 566
- PASTERFIELD, G.V., see CAMPBELL, L.V.
- PATARROYO, M.-E., see TROYE-BLOMBERG, M.
- PEPYS, J., see MURDOCH, R.D.
- PEPYS, M.B., see ROWE, I.F.
- PERINI, CH., see LANDMANN, R.M.A.
- PERLMANN, P., see TROYE-BLOMBERG, M.
- PICCOLELLA, E., see LOMBARDI, G.
- PINCHERA, A., see MARIOTTI, S.
- PINCHING, A.J., see SAVIGE, J.A.
- PIRLET, K., see KRIPPNER, H.
- PISANI, S., see MARIOTTI, S.
- PISETSKY, D.S., see WARREN, R.W.
- PLEBANI, A., NOTARANGELO, L.D., DUSE, M., AVANZINI, A., MASSA, M. & UGAZIO, A.G. Serum IgG levels and complement activity in hypogammaglobulinaemic patients under substitution therapy, 193
- POCIDALO, J.J., see GOUGEROT-POCIDALO, M.-A.
- POLLOCK, A., see BRENNER, M.K.
- PURAM, V., GIULIANI, D. & MORSE, B.S. Circulating immune complexes and platelet IgG in various diseases, 672
- PUSSELL, B.A., see CAMPBELL, L.V.
- RADL, J., HEIDT, P.J., KNAAN-SHANZER, S. & VAN ZWIETEN, M.J. Idiopathic paraproteinaemia. IV. The role of genetic factors in the development of monoclonal B cell proliferative disorders—a study in the ageing C57BL/KaLwRij and CBA/BrARij mouse radiation chimeras, 213
- RAJKOVIC, I.A., YOUSIF-KADARU, A.G.M., WYKE, R.J. & WILLIAMS, R. Polymorphonuclear leucocyte locomotion and aggregation in patients with alcoholic liver disease, 654
- RAMOT, B., see PASSWELL, J.H.
- REBOIRAS, S., see CLERICI, N.
- REED, W.D., see BARTHOLOMAEUS, W.N.
- REITHMULLER, G., see ZIEGLER-HEITBROCK, H.W.L.
- REITTE, J.G.E., see BRENNER, M.K.
- RENVERSEZ, J.C., see MICOQUIN, C.
- REY, A., KLEIN, B., ILNICKI, C., JOURDAN, M. & SERROU, B. The role of interleukin-2 in T colony formation by human pre-T cells (pTFCF), 154
- RICHARDS, J.M. & WITKIN, S.S. Non-immune IgG binding to the surface of spermatozoa by disulphide rearrangement, 493
- RICHARDSON, B.A., see VEITH, M.
- RIGAL, F., see AL SAATI, T.
- ROLA-PLESZCZYNSKI, GOUIN, S. & BEGIN, R. Pulmonary and systemic immunoregulatory changes during the development of experimental asbestosis, 325
- ROMER, F.K., CHRISTIANSEN, S.E., KRAGBALLE, K., HERLIN, T. & MADSEN, M. Studies of peripheral blood monocytes in pulmonary sarcoidosis, 357
- ROMERO, P., see TROYE-BLOMBERG, M.
- ROSSI, M.E., see VIERUCCI, A.
- ROUSSEL, B., see MICOQUIN, C.
- ROW, V.V., see BENVENISTE, P.
- ROWE, I.F., SOUTAR, A.K., TRAYNER, I.M., THOMPSON, G.R. & PEPYS, M.B. Circulating human C-reactive protein binds very low density lipoproteins, 237
- ROWE, I.F., BALTZ, M.L., SOUTAR, A.K. & PEPYS, M.B. *In vivo* turnover studies of C-reactive protein and lipoproteins in the rabbit, 245
- RUMPOLD, H., see ZIEGLER-HEITBROCK, H.W.L.
- RUSSOVA, A., see MATIOTI, S.
- SAILSTAD, D.M., see WARREN, R.W.
- SAKAI, H., see TOMINO, Y.
- SAKAI, H., see NOMOTO, Y.

- SAKAMOTO, N., see FUKUI, K.
 SAKANO, T., see KASHIWA, H.
 SALMON, J.A., see FIERER, J.
 SAMUEL, A.M., ASHTEKAR, M.D. & GANATRA, R.D.
 Significance of circulating immune complexes in pulmonary tuberculosis, 317
 SATHISH, M., see NATH, I.
 SATO, H., see HIROSE, S.
 SAVERYMUDDU, S.H., see SAVIGE, J.A.
 SAVIGE, J.A., SAVERYMUDDU, S.H. & PINCHING, A.J. A functional comparison of ¹¹¹indium-labelled elicited peripheral blood neutrophils and peritoneal neutrophils in the rat, 737
 SCHEPER, R.J., see BOERRIGTER, G.H.
 SCHULLER, E., see ALLINQUANT, B.
 SCHULTHEISS, H.-P., BERG, P.A. & KLINGENBERG, M.
 Inhibition of the adenine nucleotide translocator by organ specific autoantibodies in primary biliary cirrhosis, 596
 SCOTT, M.T. & GOSS-SAMPSON, M. Restricted IgG isotype profiles in *T. cruzi* infected mice and Chagas' disease patients, 372
 SEGAL, S., see MANORI, I.
 SEIBOLD, J.R., see GUPTA, R.C.
 SEIGNEURIN, J.M., see MICOUIN, C.
 SEKIGAWA, I., see HIROSE, S.
 SERROU, B., see REY, A.
 SESTINI, P., TAGLIABUE, A. & BORASCHI, D. Modulation of macrophage suppressive activity and prostaglandin release by lymphokines and interferon: comparison of alveolar, pleural and peritoneal macrophages, 573
 SETO, M., see TSUGE, I.
 SHARMA, A.K., see NATH, I.
 SHIMIZU, F., see SUZUKI, Y.
 SHIRAI, T., see HIROSE, S.
 SIGFUSON, A., see BABPAGE, J.
 SNAITH, M.L., see HARI KUMAR, M.K.
 SONKOLY, I., see SURANYI, P.
 SOUHAMI, R.L., see BABPAGE, J.
 SOUTAR, A.K., see ROWE, I.F.
 SPECK, B., see DI PADOVA, F.
 SPRINGER, B., see KRIPPNER, H.
 STANLEY, P.J., CORBO, G. & COLE, P.J. Serum IgG subclasses in chronic and recurrent respiratory infections, 703
 STEIGERWALD, J.C., see GUPTA, R.C.
 STERIN-BORDA, L., CREMASCHI, G., PASCUAL, J., GENARO, A. & BORDA, E. Alloimmune IgG binds and modulates cardiac β -adrenoceptor activity, 223
 STRANGEWAYS, J.E.M., see HUGHES, H.P.A.
 SUEHIRO, F., see DOI, T.
 SUGA, T., see TOMINO, Y.
 SUGA, T., see NOMOTO, Y.
 SURANYI, P., MATYUS, L., SONKOLY, I. & SZEGEDI, GY.
 Cellular DNA content of T helper, T suppressor and B lymphocytes in SLE, 37
 SUTER, C.M., see TOMAZIC, V.
 SUZAWA, T., see KASHIWA, H.
 SUZUKI, Y., OITE, T., SHIMIZU, F., YAMAMOTO, K., SUZUKI, S. & ARAKAWA, M. Solubilization of immune complex deposits by native 7S IgG molecules in lupus glomerulonephritis—a possible antigen excess effect on rheumatoid factor-IgG complexes, 663
 SVEHAG, S.-E., see NYDEGGER, U.E.
 SZEGEDI, GY., see SURANYI, P.
 TAGLIABUE, A., see SESTINI, P.
 TAKAHASHI, T., see TSUGE, I.
 TAKAMI, T., see ISHII, Y.
 TAKAMOTO, S., see TSUGE, I.
 TAKAYA, M., see TOMINO, Y.
 TAKEI, T., see ISHII, Y.
 TALAL, N., see DAUPHINEE, M.J.
 TARKOWSKI, A., CZERKINSKY, C. & NILSSON, L.-A.
 Detection of IgG rheumatoid factor secreting cells in autoimmune MRL/l mice: a kinetic study, 7
 TARTOF, D., YUNG, C.W., CURRAN, J.J., LIVINGSTON, C. & THALJI, Z. Cells that mediate NK like cytotoxicity are present in the human delayed type hypersensitivity response, 462
 TAYLOR, D.W., see VEITH, M.
 TAZZARI, P.L., see GOBBI, M.
 THALJI, Z., see TARTOF, D.
 THOMPSON, G.R., see ROWE, I.F.
 THOMPSON, R.A., CANDY, D.C.A. & MCNEISH, S.A.
 Familial defect of polymorph neutrophil phagocytosis associated with absence of a surface glycoprotein antigen (OKMI), 229
 THORNE, K., see VEITH, M.
 THORNTON, M., see GUPTA, S.
 THORSTENSSON, R., see NORBERG, R.
 TOMAZIC, V., SUTER, C.M. & CHRETIEN, P.B. Experimental autoimmune thyroiditis: modulation of the disease level in high and low responder mice by thymosin, 83
 TOMINO, Y., SAKAI, H., TAKAYA, M., MIURA, M., SUGA, T., ENDOH, M. & NOMOTO, Y. Solubilization of intraglomerular deposits if IgG immune complexes by human sera or gamma-globulin in patients with lupus nephritis, 42
 TOMINO, Y., see NOMOTO, Y.
 TOMIOKA, H., see NAWATA, Y.
 TORII, S., see TSUGE, I.
 TRAYNER, I.M., see ROWE, I.F.
 TRON, F., see JACOB, L.
 TROYE-BLOMBERG, M., ROMERO, P., PATARROYO, M.-E., BJORKMAN, A. & PERLMANN, P. Regulation of the immune response in *Plasmodium falciparum* malaria. III. Proliferative response to antigen *in vitro* and subset composition of T cells from patients with acute infection or from immune donors, 380
 TSOUKAS, C.D., see VAUGHAN, J.H.
 TSUGE, I., UEDA, R., NISHIDA, K., NAMIKAWA, R., SETO, M., MARAUYAMA, T., TAKAMOTO, S., MATSUOKA, M., TORII, S., OTA, K. & TAKAHASHI, T. Five antigens on human T cells detected by mouse monoclonal antibodies, 444
 TURA, S., see GOBBI, M.
 UEDA, R., see TSUGE, I.
 UGAZIO, A.G., see PLEBANI, A.
 UIBO, R.M. & KROHN, K.J.E. Demonstration of gastrin cell autoantibodies in antral gastritis with avidin-biotin complex antibody technique, 341
 USUI, T., see KASHIWA, H.
 VALMAN, H.B., see ISAACS, D.

- VAN DEN BERG, W.B., *see* LENS, J.W.
 VAN DEN BERSSELAAR, L., *see* LENS, J.W.
 VAN DE PUTTE, L.B.A., *see* LENS, J.W.
 VAN FURTH, R., *see* LEIJH, P.C.J.
 VAN HELDEN, H.P.T., *see* KLUIN-NELEMANS, H.C.
 VAN LEEUWEN, J., *see* KOLK, A.H.J.
 VAN VELZEN-BLAD, H., *see* KLUIN-NELEMANS, H.C.
 VAN ZWET, T.L., *see* LEIJH, P.C.J.
 VAN ZWIETEN, M.J., *see* RADL, J.
 VAUGHAN, J.H., FOX, R.I., ABRESCH, R.J., TSOUKAS, C.D., CURD, J.G. & CARSON, D.A. Thoracic duct drainage in rheumatoid arthritis, 645
 VEITH, M., TAYLOR, D.W., THORNE, K., RICHARDSON, B.A. & BUTTERWORTH, A.E. Studies on the enhancement of human eosinophil function by mononuclear cell products *in vitro*, 603
 VERADI, R., *see* EDWARDS, A.J.
 VERVLIEET, G., CARTON, H., MEULEPAS, E. & BILLIAU, A. Interferon production by cultured peripheral leucocytes of MS patients, 116
 VIERUCCI, A., DE MARTINO, M., ROSSI, M.E., VULLO, C., BORGATTI, L., LONDON, W.T. & BLUMBERG, B.S. Raised IgE levels in β -thalassaemia: correlation with splenectomy and hepatitis B virus infection, 199
 VISMARA, D., *see* LOMBARDI, G.
 VOLPE, R., *see* BENVENISTE, P.
 VUITTON, D., *see* CHARPENTIER, B.
 VULLO, C., *see* VIERUCCI, A.
 WARREN, R.W., SAILSTAD, D.M. & PISETSKY, D.S. Monoclonal rheumatoid factors from B6-*Ipr/Ipr* mice, 731
 WARRINGTON, R.J., *see* WILKINS, J.A.
 WEBSTER, A.D.B., *see* ISAACS, D.
 WEINSTEIN, Y., *see* MANORI, I.
 WENZEL, B.E., *see* BENVENISTE, P.
 WESP, M., *see* LANDMANN, R.M.A.
 WHALEY, K., *see* NAAMA, J.K.
 WILKINS, J.A., OLIVIER, S.L. & WARRINGTON, R.J. Generation of interleukin-2-dependent T cell lines from synovial fluids in rheumatoid arthritis, 1
 WILLCOX, H.N.A., NEWSOM-DAVIS, J. & CALDER, L.R. Cell types required for anti-acetylcholine receptor antibody synthesis by cultured thymocytes and blood lymphocytes in myasthenia gravis, 97
 WILLIAMS, R., *see* RAJKOVIC, I.A.
 WITKIN, S.S., *see* RICHARDS, J.M.
 WYKE, R.J., *see* RAJKOVIC, I.A.
 YAMAMOTO, K., *see* SUZUKI, Y.
 YANAGISAWA, T., *see* NAWATA, Y.
 YEUNG-LAIWAH, A.C., *see* NAAMA, J.K.
 YOSHIDA, S., *see* NAWATA, Y.
 YOSHIOKA, K., *see* FUKUI, K.
 YOUSIF-KADARU, A.G.M., *see* RAJKOVIC, I.A.
 YUASA, H., *see* ISHII, Y.
 YUNG, C.W., *see* TARTOF, D.
 ZIEGLER-HEITBROCK, H.W.L., FUTTERER, A., RUMFOLD, H., KRAFT, D., MUNKER, R. & RIETHMULLER, G. The use of VEP13 monoclonal antibody for definition of natural killer cells: spontaneous killer cells directed against fresh human leukaemia cells carry the VEP13 antigen, 470

SUBJECT INDEX

- 4-hydroperoxy-cyclophosphamide, 161
- ADCC, 217
- AMLR, 395
- Abscess, 737
- Accessory cells, 522
- Acid alpha-naphthyl acetate esterase, 420
- Adenine nucleotide translocator, 596
- African trypanosomiasis, 548
- Agammaglobulinaemia, 193
- Ageing, 213
- Alcoholic cirrhosis, 107
- Alveolar macrophages, 388
- Amyotrophic lateral sclerosis, 29
- Angiotensin converting enzyme, 357
- Anti-M7, 283
- Anti-nuclear factor
 - IgA nephropathy, 63
 - malaria sera, 77
- Antibodies
 - anti-DNA, 293
 - anti-mitochondrial
 - M5, 639
 - M7, 283
 - anti-nuclear, 300
 - complexed, 502
 - elution, 13
 - gastrin cell, 341
 - histones, 49
 - isotype profile, 372
 - lupus anti-coagulant, 639
 - muscle tissue, 677
 - parietal cells, 745
 - systemic sclerosis, 68
 - Z-DNA, 29
- Antigens
 - carcinoembryonic, 685
 - DR, 388
 - human T cell, 444
 - oral administration, 364
 - secreted, 539
- Antral gastritis, 341
- Apheresis, 645
- Arthritis, antigen-induced, 364
- Asbestosis, 325
- Autoanti-idiotypic, 293
- Autoantibodies
 - anti-IgE, 348
 - cirrhosis, 596
 - precipitating, 77
 - production, 206
 - suppressor cells, 307
- Autoantigen specific, 307
- Autoimmune diseases
 - genetic regulation, 694
 - HLA-DR expression, 264
- Autoimmune sera, 13
- Autoimmunity
 - Ipr* gene, 145
 - rheumatoid factors, 731
- Autologous mixed lymphocyte reaction, 90
- Avidin-biotin complex technique, 342
- B cell antigens, 183
- B cells
 - antigen systems, 183
 - malignant lymphomas, 631
- B lymphocytes, 625
- β -adrenoceptor agonists/antagonists, 223
- β -adrenoceptor stimulation, 223
- β -thalassaemia, 199
- Benign monoclonal gammopathy, 213
- Binding, 167
- Biosynthesis, 174
- Bronchial asthma, 348
- Bronchiectasis, 703
- Bursa of Fabricius, 719
- C-reactive protein
 - circulating, 237
 - turnover studies, 245
- C3bi receptor, 229
- C57BL/KaLwRij mice, 213
- Candida albicans* polysaccharide extract, 581
- Catecholamines, 1
- Cell cycle analysis, 37
- Cell-mediated immunity, 539
- Centromere antigen, 13
- Chaga's disease, 372
- Chemotherapy, 161
- Chicks, 719
- Chromosome 4, 694
- Chronic inflammation, 402
- Chronic liver disease, 90
- Circulating immune complexes
 - cancer, 685
 - IgG RF, 7
 - tuberculosis, 317
- Classical pathway, 486
- Colorectal cancer, 685
- Complement
 - activity, 193
 - deficiency, 724
 - immune precipitation, 486
 - rheumatoid arthritis, 645
- Concanavalin A, 557
- Contrasuppressor cells, 410
- Crohn's disease, 29
- Cross-reactions, 639
- Cyclosporin A, 611
- Cytokines, 402
- Cytotoxicity, 357
- DTH response, 462
- Delayed hypersensitivity, 161
- Deoxyadenosine, 136
- Dexamethasone, 357
- Diabetes, 255
- Diagnosis, 539
- Dihydroalprenolol binding, 223
- Disulphides, 493
- ELISA
 - autoantibody detection, 273
 - IgG and IgM, 49

- Eosinophils, 603
- Epstein-Barr virus, 677
- Experimental autoimmune thyroiditis, 83
- Extractable nuclear antigen, 77
- Factor D, 724
- Fc receptors, 493
- Flare-up reactions, 364
- Flow cytometry
 - cellular DNA content, 37
 - physical exercise, 420
- Gamma-globulin, 42
- Gammopathy, 677
- Germinal centres, 97
- Glomerulonephritis, 663
- Graft versus host disease, 611
- Granulocytes, 557
- Gut, 364
- HLA antigens, 264
- Hashimoto's thyroiditis, 273
- Heart diseases, 283
- Helminthiasis, 174
- Hepatitis B virus infection, 199
- Histones, 49
- Human, 410
- Human antibody responses in vitro, 97
- Human sera, 42
- Hypergammaglobulinaemia, 694
- Hyperthyroidism, 264
- Hypogammaglobulinaemia, 619
- I-J, 410
- IRMA, 745
- Ia expression, 145
- Idiopathic paraproteinaemia, 213
- Idiotypic suppression, 293
- IgA nephropathy, 63
- IgE
 - PGE2 secretion, 566
 - ovalbumin response, 478
 - platelet, 672
 - production, 174
 - raised levels, 199
- IgG RF secreting cells, 7
- IgG
 - alloimmune, 223
 - binding, 493
 - serum levels, 193
 - subclasses
 - membranous nephropathy, 57
 - respiratory infections, 703
- IgG2 deficiency, 703
- IgG4, 57
- IgM, 63
- Immune complexes
 - asthma, 348
 - diabetes, 255
 - glomerulonephritis, 663
 - platelet IgE, 672
 - quantitation, 502
 - solubilization, 42
- Immune precipitation, 486
- Immunoblotting, 13
- Immunodeficiency
 - factor D, 724
 - neutrophil defect, 229
 - normobaric oxygen, 428
- Immunodiffusion, 68
- Immunofluorescence, 13
- Immunoglobulins
 - aggregated, 502
 - glomerulonephritis, 663
 - production, 709
 - therapy, 193
- Immunohistochemistry, 709
- Immunological recognition, 206
- Immunology, 357
- Immunomodulation, 83
- Immunoperoxidase technique, 631
- Immunopotential, 161
- Immunoregulation
 - AIDS, 395
 - lymphocytes, 273
- Immunoregulatory cells, 127
- Immunospot assay (ELISPOT), 7
- Immunosuppression, 548
- Immunotherapy, 161
- In vitro*, 174
- Indium, 737
- Infections, 724
- Inflammatory disease, 709
- Insulin, 255
- Interferon
 - macrophage activity, 573
 - multiple sclerosis, 116
- Interleukin-1
 - lymphocyte protection, 453
 - pregnancy serum, 587
 - production, 581
- Interleukin-2
 - AIDS, 402
 - generation, 1
 - pregnancy serum, 587
 - production, 531
 - T colony formation, 154
 - T lymphocytes, 522
- Interleukins, 395
- Intracellular killing, 557
- Isotypes, 372
- J chain
 - chickens, 719
 - profiles, 709
- Kinase II, 357
- Lepromatous leprosy, 531
- Leprosy, 522
- Leu 1/T101, 631
- Leucocytes, PMN, 654
- Leukaemia, acute, 470
- Lipopolysaccharide, 167
- Lipoprotein, 245
- Liver disease, 654
- Liver-specific lipoprotein, 307
- Locomotion, 654
- Low dose irradiation, 145
- lpr* mice, 731
- lpr* murine strains, 145
- Lupus erythematosus, 293
- Lupus nephritis, 42

- Lymphocytes
 - autoantibody secretion, 273
 - function, 325
 - human proliferation, 436
 - proliferation, 380
 - radiosensitivity, 453
 - subpopulations, 37
 - subsets, 645
 - T phenotypes, 264
 - transformation, 539
- Lymphocytosis promoting factor, 436
- Lymphoid cell line, 677
- Lymphokines, 573
- MRL/l mice, 7
- Macrophage
 - functions, 206
 - protease, 206
- Macrophages
 - activation, 548
 - alveolar
 - asbestosis, 325
 - HLA-DR, 388
 - suppressive activity, 573
- Membrane stimulation, 557
- Membranous nephropathy, 57
- Mercuric chloride, 300
- Mitochondrial proteins, 68
- Mitogenicity, 428
- Mixed lymphocyte reaction, 587
- Monoclonal
 - autoantibodies, 731
 - immunoglobulins, 677
- Monoclonal antibodies
 - anti-DNA, 293
 - B cells, 183
 - CALLA, 631
 - multiple myeloma, 625
 - mycobacterial, 511
 - neutrophils, 229
 - NK cells, 470
 - T cells antigens, 444
- Monocytes
 - Bordetella pertussis*, 436
 - eosinophil function, 603
 - human, 566
 - lymphocyte protection, 453
 - S. aureus* killing, 557
 - stimulation, 581
- Monokines, 603
- Mouse suppressor cells, 307
- Mucous membranes, 709
- Multiple myeloma, 625
- Multiple sclerosis
 - interferon, 116
 - Z-DNA antibodies, 29
- Myasthenia gravis, 97
- Mycobacterium leprae*
 - monoclonal antibodies, 511
 - T lymphocytes, 522
- Mycobacterium tuberculosis*, 511
- Myocardium activity, 223
- Natural killer cells
 - cirrhosis, 107
 - definition, 470
 - physical exercise, 420
- Natural killer like cytotoxicity, 462
- Neutrophils
 - labelling, 737
 - phagocytosis defect, 229
- New Zealand mice, 694
- OKMI, 229
- Ongoing responses, 97
- Organ specificity
 - cirrhosis, 596
 - mitochondria, 283
- Ovalbumin, 478
- Oxidant stress, 428
- PPD, 581
- Parasite antigen lymphocyte markers, 380
- Pepsin, 206
- Peripheral blood lymphocytes, 167
- Peritoneal cells, 428
- Phagocytosis defect, 229
- Phospholipids, 639
- Physical exercise, 420
- Plasmodium falciparum* malaria, 380
- Platinum, 478
- Pokeweed mitogen
 - B lymphocytes, 625
 - IgE production, 174
- Polyradiculoneuritis, 29
- Pre-T cells, 154
- Pregnancy, 587
- Presenting, 410
- Primary biliary cirrhosis
 - antibodies, 68
 - autoantibodies, 596
- Production characterization, 511
- Progressive systemic sclerosis, 68
- Prostaglandin E2
 - monocyte production, 566
 - production, 548
- Prostaglandins, 573
- Protection, 453
- Protein absorption, 364
- Pulmonary tuberculosis, 317
- Radiation, 453
- Radiation chimeras, 213
- Rats, 478
- Recurrent infections, 335
- Recurrent respiratory infections, 703
- Rheumatic diseases, 402
- Rheumatoid arthritis, 645
- Rheumatoid arthritis fluid, 1
- Rheumatoid factor
 - glomerulonephritis, 663
 - monoclonal, 731
- Ribonucleoprotein, 77
- Salivary immunoglobulins, 335
- Salmonella, 167
- Sarcoidosis, 357
- Serum
 - factors, 325
 - immunoglobulins, 335
 - inhibitors, 587
- Solubilization, 42

- Specific allogenic help, 21
- Spermatozoa, 493
- Spleen cells, 428
- Splenectomy, 199
- Spontaneous, 273
- Stress, 127
- Suppression, 573
- Suppressive factors, 531
- Suppressor cells
 - asbestosis, 325
 - sarcoidosis, 357
- Synovial fluid, 402
- Systemic lupus erythematosus
 - complexes
 - platelets, 672
 - solubilization, 663
 - IgG and IgM, 49
 - T cells, 21
 - Z-DNA antibodies, 37
- T cells
 - Bordetella pertussis*, 436
 - IL-2 generation, 1
 - Ia positive, 90
 - malignancy, 444
 - subsets
 - AIDS, 395
 - GVHD, 611
 - physical exercise, 420
 - salmonella, 167
 - suppressor, 619
 - T helper cells, 136
 - T lymphocyte colonies, 154
 - T lymphocytes, 21
 - T suppressor cells, 136
 - Thiol compounds, 428
 - Thoracic duct drainage, 645
 - Thymic antigen presenting cells, 97
 - Thymoma, 619
 - Thymosin, 83
 - Thyroid autoantibodies, 273
 - Thyroid autoimmune disorders, 745
 - Thyroiditis, 264
 - Tonsils, 709
 - Toxoplasma gondii*, 539
 - Transplantation, bone marrow, 611
 - Trypanosoma cruzi*, 372
 - Varicella zoster*, 217
 - Very low density lipoprotein, 237



- U. E. NYDEGGER & S.-E. SVEHAG: Improved standardization in the quantitative estimation of soluble immune complexes making use of an international reference preparation. Results of a collaborative multicentre study 503

VOLUME 58 · NUMBER 3 · DECEMBER 1984

- A. H. J. KOLK, MINH LY HO, P. R. KLATSER, T. A. EGGELTE, SJOUKHE KUIJPER, SHARLEY DE JONGE & JANNETTE VAN LEEUWEN: Production and characterization of monoclonal antibodies to *Mycobacterium tuberculosis*, *M. bovis* (BCG) and *M. leprae* 511
- INDIRA NATH, M. STHISH, T. JAYARAMAN, L. K. BHUTANI & A. K. SHARMA: Evidence for the presence of *M. Leprae* reactive T lymphocytes in patients with lepromatous leprosy 522
- INDIRA NATH, J. JAYARAMAN, M. SATHISH, L. K. BHUTANI & A. K. SHARMA: Inhibition of interleukin-2 production by adherent cell factors from lepromatous leprosy patients 531
- H. P. A. HUGHES, CAROLE A. CONNELLY, JANET E. M. STRANGEWAYS & L. HUDSON: Antigen specific lymphocyte transformation induced by secreted antigens from *Toxoplasma gondii* 539
- J. FIERER, J. A. SALMON & BRIGITTE A. ASKONAS: African trypanosomiasis alters prostaglandin production by murine peritoneal macrophages 548
- P. C. J. LEIJH, THEDA L. VAN ZWET & R. VAN FURTH: Effect of concanavalin A on intracellular killing of *Staphylococcus aureus* by human phagocytes 557
- J. H. PASSWELL, B. GEIGER, M. LEVANON, J. DAVIDSOHN, B. E. COHEN & B. RAMOT: IgE induces secretion of prostaglandin E₂ by human monocytes 566
- P. SESTINI, A. TAGLIABUE & DIANA BORASCHI: Modulation of macrophage suppressive activity and prostaglandin release by lymphokines and interferon: comparison of alveolar, pleural and peritoneal macrophages 573
- GIOVANNA LOMBARDI, ENZA PICCOLELLA, DANIELA VISMARA, V. COLIZZI & G. L. ASHERSON: *Candida albicans* polysaccharide extract (MPPS) and PPD stimulate the production of interleukin-1 and lymphocyte proliferation 581
- N. S. NICHOLAS, G. S. PANAYI & A. M. E. NOURI: Human pregnancy serum inhibits interleukin-2 production 587
- H.-P. SCHULTHEISS, P. A. BERG & M. KLINGENBERG: Inhibition of the adenine nucleotide translocator by organ specific autoantibodies in primary biliary cirrhosis. 596
- MONICA VEITH, D. W. TAYLOR, KAREEN THORNE, B. A. RICHARDSON & A. E. BUTTERWORTH: Studies on the enhancement of human eosinophil function by mononuclear cell products *in vitro* 603
- F. DI PADOVA, A. GRATWOHL, M. CORNEO & B. SPECK: Functional and morphological suppressor T cell deficit in acute GVHD 611
- M. K. BRENNER, J. G. E. REITTE, H. R. CHADDA, A. POLLOCK & G. L. ASHERSON: Thymoma and hypogammaglobulinaemia with and without T suppressor cells 619
- M. GOBBI, F., CALIGARIS-CAPPIO, D. CAMPANA, P. L. TAZZARI, LUCIANA BERGUI, M. CAVO & S. TURA: Functional behaviour and immunological phenotype of circulating B lymphocytes in multiple myeloma. Studies with pokeweed mitogen 625
- T. AL SAATI, G. LAURENT, P. CAVERIERE, F. RIGAL & G. DELSOL: Reactivity of Leu 1 and T101 monoclonal antibodies with B cell lymphomas (correlations with other immunological markers) 631
- RENÉE NORBERG, B. GÄRLUND, R. THORSTENSSON & K. LIDMAN: Further immunological studies of sera containing anti-mitochondrial antibodies, type M 5 639
- J. H. VAUGHAN, R. I. FOX, R. J. ABRESCH, C. D. TSOUKAS, J. G. CURD & D. A. CARSON: Thoracic duct drainage in rheumatoid arthritis 645
- I. A. RAJKOVIC, A. G. M. YOUSIF-KADARU, R. J. WYKE & R. WILLIAMS: Polymorphonuclear leucocyte locomotion and aggregation in patients with alcoholic liver disease 654
- Y. SUZUKI, T. OITE, F. SHIMIZU, K. YAMAMOTO, S. SUZUKI & M. ARAKAWA: Solubilization of immune complex deposits by native 7S IgG molecules in lupus glomerulonephritis—a possible antigen excess effect on rheumatoid factor-IgG complexes 663

D. ISAACS, A. D. B. WEBSTER & H. B. VALMAN: Immunoglobulin levels and function in pre-school children with recurrent respiratory infections	335
R. M. UIBO & K. J. E. KROHN: Demonstration of gastrin cell autoantibodies in antral gastritis with avidin-biotin complex antibody technique	341
Y. NAWATA, T. KOIKE, T. YANAGISAWA, I. IWAMOTO, T. ITAYA, S. YOSHIDA & H. TOMIOKA: Anti-IgE autoantibody in patients with bronchial asthma	348
F. K. RØMER, S. E. CHRISTIANSEN, K. KRAGBALLE, T. HERLIN & M. MADSEN: Studies of peripheral blood monocytes in pulmonary sarcoidosis	357
J. W. LENS, W. B. VAN DEN BERG, L. B. A. VAN DE PUTTE & LIDUINE VAN DEN BERSSELAAR: Flare-up of antigen-induced arthritis in mice after challenge with oral antigen	365
M. T. SCOTT & M. GOSS-SAMPSON: Restricted IgG isotype profiles in <i>T. cruzi</i> infected mice and Chagas' disease patients	373
MARITA TROYE-BLOMBERG, P. ROMERO, M.-E. PATARROYO, A. BJÖRKMÄN & P. PERLMANN: Regulation of the immune response in <i>Plasmodium falciparum</i> malaria. III. Proliferative response to antigen <i>in vitro</i> and subset composition of T cells from patients with acute infection or from immune donors	381
NORA CLERICI, S. REBOIRAS, CELIA FIERRO & F. LEYVA-COBIAN: Expression of Ia like (HLA-DR) antigens on human alveolar macrophages	389
S. GUPTA, S. GILLIS, M. THORNTON & M. GOLDBERG: Autologous mixed lymphocyte reaction in man. XIV. Deficiency of the autologous mixed lymphocyte reaction in acquired immune deficiency syndrome (AIDS) and AIDS related complex (ARC). <i>In vivo</i> effect of purified interleukin-1 and interleukin-2	396
A. M. E. NOURI, G. S. PANAYI & SALLY M. GOODMAN: Cytokines and the chronic inflammation of rheumatic disease. II. The presence of interleukin-2 in synovial fluids	403
T. LEHNER, R. BRINES, T. JONES & J. AVERY: Detection of cross-reacting murine I-J like determinants on a human subset of T8 ⁺ antigen binding, presenting and contrasuppressor cells	411
A. J. EDWARDS, TERESA H. BACON, CAROLINE A. ELMS, ROSANNA VERARDI, M. FELDER & STELLA C. KNIGHT: Changes in the populations of lymphoid cells in human peripheral blood following physical exercise	421
MARIE-ANNE GOUGEROT-POCIDALO, MICHÈLE FAY & J. J. POCIDALO: <i>In vivo</i> normobaric oxygen exposure depresses spleen cell <i>in vitro</i> Con A response. Effects of 2-mercapto-ethanol and peritoneal cells	429
H. KASHIWA, S. HYODO, T. KISHI, T. KARAKAWA, E. KITAKA, T. SUZAWA, T. SAKANO & T. USUI: The mitogenic effect of the lymphocytosis promoting factor from <i>Bordetella pertussis</i> on human Ty and non-Ty cells	437
I. TSUGE, R. UEDA, KEIKO NISHIDA, REIKO NAMIKAWA, M. SETO, T. MARUYAMA, S. TAKAMOTO, H. MATSUOKA, S. TORII, K. OTA & T. TAKAHASHI: Five antigens on human T cells detected by mouse monoclonal antibodies	445
I. MANORI, A. KUSHILEVSKY, S. SEGAL & Y. WEINSTEIN: Radiosensitivity of isolated subsets of human lymphocytes (E ⁺ , OKT4 ⁺ , OKT8 ⁺): protective role of monocytes and monokines	454
D. TARTOF, C. W. YUNG, J. J. CURRAN, CAROL LIVINGSTON & Z. THALJI: Cells that mediate NK like cytotoxicity are present in the human delayed hypersensitivity response	463
H. W. L. ZIEGLER-HEITBROCK, A. FÜTTERER, H. RUMPOLD, D. KRAFT, R. MUNKER & G. RIETHMÜLLER: The use of VEP13 monoclonal antibody for definition of natural killer cells: spontaneous killer cells directed against fresh human leukaemia cells carry the VEP13 antigen	471
R. D. MURDOCH & J. PEPYS: Immunological responses to complex salts of platinum. II. Enhanced IgE antibody responses to ovalbumin with concurrent administration of platinum salts in the rat	479
J. K. NAAMA, A. O. HAMILTON, A. C. YEUNG-LAIWAH & K. WHALEY: Prevention of immune precipitation by purified classical pathway complement components	487
J. M. RICHARDS & S. S. WITKIN: Non-immune IgG binding to the surface of spermatozoa by disulphide rearrangement	494

T. B. NUTMAN, RABIA HUSSAIN & E. A. OTTESEN: IgE production <i>in vitro</i> by peripheral blood mononuclear cells of patients with parasitic helminth infections	174
Y. ISHII, T. TAKAMI, H. YUASA, T. TAKEI & K. KIKUCHI: Two distinct antigen systems in human B lymphocytes: identification of cell surface and intracellular antigens using monoclonal antibodies	183
A. PLEBANI, L. D. NOTARANGELO, M. DUSE, A. AVANZINI, M. MASSA & A. G. UGAZIO: Serum IgG levels and complement activity in hypogammaglobulinaemic patients under substitution therapy	193
A. VIERUCCI, M. DE MARTINO, M. ELISABETTA ROSSI, C. VULLO, L. BORGATTI, W. T. LONDON & B. S. BLUMBERG: Raised IgE levels in β -thalassaemia: correlation with splenectomy and hepatitis B virus infection	199
H. OHNISHI: Pepsin like enzyme in macrophages and its role in the immune system	206
J. RADL, P. J. HEIDT, S. KNAAN-SHANZER & M. J. VAN ZWIETEN: Idiopathic paraproteinaemia. IV. The role of genetic factors in the development of monoclonal B cell proliferative disorders—a study in the ageing C57BL/KaLwRij and CBA/BrARij mouse radiation chimeras	213
J. BABBAGE, A. SIGFUSSON & R. L. SOUAMI: Antibody-dependent cell-mediated cytotoxicity to <i>Varicella zoster</i>	217
L. STERIN-BORDA, G. CRENASCHI, J. PASCUAL, A. GENARO & E. BORDA: Alloimmune IgG binds and modulates cardiac β -adrenoceptor activity	223
R. A. THOMPSON, D. C. A. CANDY & A. S. MCNEISH: Familial defect of polymorph neutrophil phagocytosis associated with absence of a surface glycoprotein antigen (OKMI)	229
I. F. ROWE, ANNE K. SOUTAR, IRIS M. TRAYNER, G. R. THOMPSON & M. B. PEPYS: Circulating human C-reactive protein binds very low density lipoproteins	237
I. F. ROWE, MARILYN L. BALTZ, ANNE K. SOUTAR & M. B. PEPYS: <i>In vivo</i> turnover studies of C-reactive protein and lipoproteins in the rabbit	246
ANNOUNCEMENT	254

VOLUME 58 · NUMBER 2 · NOVEMBER 1984

LESLEY V. CAMPBELL, J. A. CHARLESWORTH, G. V. PASTERFIELD, A. JENKINS & B. A. PUSSELL: Does insulin administration contribute to immune complex formation in diabetes?	255
R. JANSSON, A. KARLSSON & U. FORSUM: Intrathyroidal HLA-DR expression and T lymphocyte phenotypes in Graves' thyrotoxicosis, Hashimoto's thyroiditis and nodular colloid goitre	264
PATRICIA BENVENISTE, B. E. WENZEL, A. KHALIL, V. V. ROW & R. VOLPE: Spontaneous secretion of thyroid autoantibodies by cultured peripheral blood lymphocytes from patients with Hashimoto's thyroiditis detected by micro-ELISA techniques	273
REINHILD KLEIN, B. MAISCH, K. KOCHSIEK & P. A. BERG: Demonstration of organ specific antibodies against heart mitochondria (anti-M7) in sera from patients with some forms of heart disease	283
L. JACOB & F. TRON: Induction of anti-DNA autoanti-idiotypic antibodies in (NZB \times NZW) F_1 mice: possible role for specific immune suppression	293
C. J. GOTER ROBINSON, A. A. ABRAHAM & T. BALAZS: Induction of anti-nuclear antibodies by mercuric chloride in mice	300
W. N. BARTHOLOMAEUS, W. D. REED & R. A. JOSKE: Autoantibody to liver-specific lipoprotein in the mouse: regulation by naturally occurring autoantigen specific suppressor cells	307
ABAN M. SAMUEL, MINAL D. ASHTEKAR & R. D. GANATRA: Significance of circulating immune complexes in pulmonary tuberculosis	317
M. ROLA-PLESZCZYNSKI, SYLVIE GOUIN & R. BÉGIN: Pulmonary and systemic immunoregulatory changes during the development of experimental asbestosis	325

CONTENTS

VOLUME 58 · NUMBER 1 · OCTOBER 1984

J. A. WILKINS, SHERRI L. OLIVIER & R. J. WARRINGTON: Generation of interleukin-2-dependent T cell lines from synovial fluids in rheumatoid arthritis	1
A. TARKOWSKI, C. CZERKINSKY & L.-Å. NILSSON: Detection of IgG rheumatoid factor secreting cells in autoimmune MRL/l mice: a kinetic study	7
H. H. GULDNER, H.-J. LAKOMEK & FRIEDLINDE A. BAUTZ: Human anti-centromere sera recognise a 19.5 kD non-histone chromosomal protein from HeLa cells	13
M. K. HARI KUMAR, R. A. KNIGHT & M. L. SNAITH: Specific allogenic help by T lymphocytes from patients with systemic lupus erythematosus	21
B. ALLINQUANT, B. MALFOY, E. SCHULLER & M. LENG: Presence of Z-DNA specific antibodies in Crohn's disease, polyradiculoneuritis and amyotrophic lateral sclerosis	29
P. SURÁNYI, L. MÁTYUS, I. SONKILY & GY. SZEGEDI: Cellular DNA content of T helper, T suppressor and B lymphocytes in SLE	37
Y. TOMINO, H. SAKAI, M. TAKAYA, M. MIURA, T. SUGA, M. ENDOH & Y. NOMOTO: Solubilization of intraglomerular deposits of IgG immune complexes by human sera or gamma-globulin in patients with lupus nephritis	42
H. KRIPPNER, B. SPRINGER, S. MERLE & K. PIRLET: Antibodies to histones of the IgG and IgM class in systemic lupus erythematosus	49
T. DOI, M. MAYUMI, K. KANATSU, F. SUEHIRO & Y. HAMASHIMA: Distribution of IgG subclasses in membranous nephropathy	57
Y. NOMOTO, M. MIURA, T. SUGA, M. ENDOH, Y. TOMINO & H. SAKAI: Cold reacting anti-nuclear factor (ANF) in families of patients with IgA nephropathy	63
R. C. GUPTA, J. R. SEIBOLD, MEERA R. KRISHNAN & J. C. STEIGERWALD: Precipitating autoantibodies to mitochondrial proteins in progressive systemic sclerosis	68
S. BOONPUCKNAVIG & G. EKAPANYAKUL: Autoantibodies in sera of Thai patients with <i>Plasmodium falciparum</i> infection	77
VESNA TOMAZIC, C. M. SUTER & P. B. CHRETIEN: Experimental autoimmune thyroiditis: modulation of the disease level in high and low responder mice by thymosin	83
K. FUKUI, S. KAKUMU, H. MURAKAMI, J. KURIKI, K. YOSHIOKA & N. SAKAMOTO: Increased peripheral blood Ia positive T cells and their effect on autologous mixed lymphocyte reaction in chronic active liver disease	90
H. N. A. WILLCOX, J. NEWSOM-DAVIS & L. R. CALDER: Cell types required for anti-acetylcholine receptor antibody synthesis by cultured thymocytes and blood lymphocytes in myasthenia gravis	97
B. CHARPENTIER, D. FRANCO, L. PACI, MONIQUE CHARRA, BERNADETTE MARTIN, DOMINIQUE VUITTON & D. FRIES: Deficient natural killer cell activity in alcoholic cirrhosis	107
GRETA VERVLiet, H. CARTON, E. MEULEPAS & A. BILLIAU: Interferon production by cultured leucocytes of MS patients	116
REGINE M. A. LANDMANN, F. B. MÜLLER, CH. PERINI, M. WESP, P. ERNE & F. R. BÜHLER: Changes of immunoregulatory cells induced by psychological and physical stress: relationship to plasma catecholamines	127
R. E. CALLARD, TANIA M. EWING & R. M. FOX: Relative sensitivity of human T cell subsets to deoxyadenosine toxicity	136
M. J. DAUPHINÉE & N. TALAL: Increased Ia expression, T lymphocyte subset abnormalities and autoimmunity in murine strains bearing the <i>Ipr</i> gene	145
A. REY, B. KLEIN, C. ILNICKI, M. JOURDAN & B. SERROU: The role of interleukin-2 in T colony formation by human pre-T cells (pTCFC)	154
G. H. BOERRIGTER & R. J. SCHEPER: Local administration of the cytostatic drug 4-hydroperoxy-cyclophosphamide (4-HPCY) facilitates cell-mediated immune reactions	161
E. JIRILLO, S. ANTONACI, SUZANNE M. MICHALEK, DAWN E. COLWELL, J. R. MCGHEE & L. BONOMO: Relationship between immune system and Gram negative bacteria. I. Spontaneous binding of smooth and rough <i>Salmonella</i> to human peripheral blood lymphocytes	167

Volume contents

vii

VIJAYALAKSHMI PURAM, D. GIULIANI & B. S. MORSE: Circulating immune complexes and platelet IgG in various diseases	672
C. MICOUIN, J. M. SEIGNEURIN, J. C. RENVERSEZ, B. ROUSSEL, MIREILLE FAVRE & DOMINIQUE LEROUX: Monoclonal IgM with anti-muscle tissue activity in a patient with Waldenström's macroglobulinaemia: secretion of identical immunoglobulin by the established lymphoid cell line	677
KERRY A. CHESTER & R. H. J. BEGENT: Circulating immune complexes (CIC), carcinoembryonic antigen (CEA) and CIC containing CEA as markers of colorectal cancer	685
SACHIKO HIROSE, I. SEKIGAWA, S. OZAKI, H. SATO & T. SHIRAI: Genetic regulation of hypergammaglobulinaemia and the correlation to autoimmune traits in (NZB × NZW)F ₁ hybrid	694
P. J. STANLEY, G. CORBO & P. J. COLE: Serum IgG subclasses in chronic and recurrent respiratory infections	703
P. BRANDTZAEG & F. R. KORSRUD: Significance of different J chain profiles in human tissues: generation of IgA and IgM with binding site for secretory component is related to the J chain expressing capacity of the total local immunocyte population, including IgG and IgD producing cells, and depends on the clinical state of the tissue	709
O. MORIYA & Y. ICHIKAWA: Loss of J chain during primary immune responses in chicks	719
HANNEKE C. KLUIN-NELEMANS, HELEEN VAN VELZEN-BLAD, H.P.T. VAN HELDEN & M.R. DAHA: Functional deficiency of complement factor D in a monozygous twin	724
R. W. WARREN, DENISE M. SAILSTAD & D. S. PISETSKY: Monoclonal rheumatoid factors from B6- <i>lpr/lpr</i> mice	731
J. A. SAVIGE, S. H. SAVERYMUTTU & A. J. PINCHLING: A functional comparison of ¹¹¹ indium-labelled elicited peripheral blood neutrophils and peritoneal neutrophils in the rat	737
S. MARIOTTI, STEFANIA PISANI, A. RUSSOVA, R. BECHI, MARINA GIACOMELLI, A. PASSALEVA, GRAZIELLA MASSAI, L. BASCHIERI & A. PINCHERA: A solid phase immunoradiometric assay for gastric parietal cell antibodies	745
ANNOUNCEMENTS	754
AUTHOR AND SUBJECT INDEXES TO VOLUME 58	755